

Potential Water-Level Rise (feet) for Index Well- Reference Tables

The below tables are applicable for Index Well Depth to Water measurements taken before January 2022.

Due to changes in the well network, new tables with appropriate adjustments were required. New reference tables are available and should be used with all future measurements starting in January 2022.

New reference tables are accessible at:

[https://www.capecodcommission.org/resource-library/file/?url=/dept/commission/team/Website_Resources/waterresources/Current Groundwater Adjustment Tables.pdf](https://www.capecodcommission.org/resource-library/file/?url=/dept/commission/team/Website_Resources/waterresources/Current%20Groundwater%20Adjustment%20Tables.pdf)

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: AIW230

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)				
	Zone A	Zone B	Zone C	Zone D	Zone E
20.5	0	0	0	0	0
20.6	0.1	0.1	0.1	0.1	0.2
20.7	0.1	0.1	0.2	0.3	0.3
20.8	0.2	0.2	0.3	0.4	0.5
20.9	0.2	0.3	0.4	0.5	0.6
21	0.3	0.3	0.5	0.7	0.8
21.1	0.3	0.4	0.6	0.8	0.9
21.2	0.4	0.5	0.7	0.9	1.1
21.3	0.4	0.5	0.8	1.1	1.2
21.4	0.5	0.6	0.9	1.2	1.4
21.5	0.5	0.7	1	1.3	1.5
21.6	0.6	0.7	1.1	1.5	1.7
21.7	0.6	0.8	1.2	1.6	1.8
21.8	0.7	0.9	1.3	1.7	2
21.9	0.7	0.9	1.4	1.9	2.1
22	0.8	1	1.5	2	2.3
22.1	0.8	1.1	1.6	2.1	2.4
22.2	0.9	1.1	1.7	2.3	2.6
22.3	0.9	1.2	1.8	2.4	2.7
22.4	1	1.3	1.9	2.5	2.9
22.5	1	1.3	2	2.7	3
22.6	1.1	1.4	2.1	2.8	3.2
22.7	1.1	1.5	2.2	2.9	3.3
22.8	1.2	1.5	2.3	3.1	3.5
22.9	1.2	1.6	2.4	3.2	3.6
23	1.3	1.7	2.5	3.3	3.8
23.1	1.3	1.7	2.6	3.5	3.9
23.2	1.4	1.8	2.7	3.6	4.1
23.3	1.4	1.9	2.8	3.7	4.2
23.4	1.5	1.9	2.9	3.9	4.4
23.5	1.5	2	3	4	4.5
23.6	1.6	2.1	3.1	4.1	4.7
23.7	1.6	2.1	3.2	4.3	4.8
23.8	1.7	2.2	3.3	4.4	5
23.9	1.7	2.3	3.4	4.5	5.1
24	1.8	2.3	3.5	4.7	5.3
24.1	1.8	2.4	3.6	4.8	5.4
24.2	1.9	2.5	3.7	4.9	5.6
24.3	1.9	2.5	3.8	5.1	5.7

Index Well: AIW230

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D	Zone E
24.4	2	2.6	3.9	5.2	5.9
24.5	2	2.7	4	5.3	6
24.6	2.1	2.7	4.1	5.5	6.2
24.7	2.1	2.8	4.2	5.6	6.3
24.8	2.2	2.9	4.3	5.70	6.5
24.9	2.2	2.9	4.4	5.9	6.6
25	2.3	3	4.5	6	6.8
25.1	2.3	3.1	4.6	6.1	6.9
25.2	2.4	3.1	4.7	6.3	7.1
25.3	2.4	3.2	4.8	6.4	7.2
25.4	2.5	3.3	4.9	6.5	7.4
25.5	2.5	3.3	5	6.7	7.5
25.6	2.6	3.4	5.1	6.8	7.7
25.7	2.6	3.5	5.2	6.9	7.8
25.8	2.7	3.5	5.3	7.1	8
25.9	2.7	3.6	5.4	7.2	8.1
26	2.8	3.7	5.5	7.3	8.3
26.1	2.8	3.7	5.6	7.5	8.4
26.2	2.9	3.8	5.7	7.6	8.6
26.3	2.9	3.9	5.8	7.7	8.7
26.4	3	3.9	5.9	7.9	8.9
26.5	3	4	6	8	9
26.6	3.1	4.1	6.1	8.1	9.2
26.7	3.1	4.1	6.2	8.3	9.3
26.8	3.2	4.2	6.3	8.4	9.5
26.9	3.2	4.3	6.4	8.5	9.6
27	3.3	4.3	6.5	8.7	9.8
27.1	3.3	4.4	6.6	8.8	9.9
27.2	3.4	4.5	6.7	8.9	10.1
27.3	3.4	4.5	6.8	9.1	10.2
27.4	3.5	4.6	6.9	9.2	10.4
27.5	3.5	4.7	7	9.3	10.5
27.6	3.6	4.7	7.1	9.5	10.7
27.7	3.6	4.8	7.2	9.6	10.8
27.8	3.7	4.9	7.3	9.7	11
27.9	3.7	4.9	7.4	9.9	11.1
28	3.8	5	7.5	10	11.3
28.1	3.8	5.1	7.6	10.1	11.4
28.2	3.9	5.1	7.7	10.3	11.6
28.3	3.9	5.2	7.8	10.4	11.7
28.4	4	5.3	7.9	10.5	11.9
28.5	4	5.3	8	10.7	12
28.6	4.1	5.4	8.1	10.8	12.2

Index Well: AIW230

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D	Zone E
28.7	4.1	5.5	8.2	10.9	12.3
28.8	4.2	5.5	8.3	11.1	12.5
28.9	4.2	5.6	8.4	11.2	12.6
29	4.3	5.7	8.5	11.3	12.8
29.1	4.3	5.7	8.6	11.5	12.9
29.2	4.4	5.8	8.7	11.6	13.1
29.3	4.4	5.9	8.8	11.7	13.2
29.4	4.5	5.9	8.9	11.9	13.4
29.5	4.5	6	9	12	13.5
29.6	4.6	6.1	9.1	12.1	13.7
29.7	4.6	6.1	9.2	12.3	13.8
29.8	4.7	6.2	9.3	12.4	14
29.9	4.7	6.3	9.4	12.5	14.1
30	4.8	6.3	9.5	12.7	14.3
30.1	4.8	6.4	9.6	12.8	14.4
30.2	4.9	6.5	9.7	12.9	14.6
30.3	4.9	6.5	9.8	13.1	14.7
30.4	5	6.6	9.9	13.2	14.9
30.5	5	6.7	10	13.3	15
30.6	5.1	6.7	10.1	13.5	15.2
30.7	5.1	6.8	10.2	13.6	15.3
30.8	5.2	6.9	10.3	13.7	15.5
30.9	5.2	6.9	10.4	13.9	15.6
31	5.3	7	10.5	14	15.8
31.1	5.3	7.1	10.6	14.1	15.9
31.2	5.4	7.1	10.7	14.3	16.1
31.3	5.4	7.2	10.8	14.4	16.2
31.4	5.5	7.3	10.9	14.5	16.4

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: AIW231

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)				
	Zone A	Zone B	Zone C	Zone D	Zone E
26.3	0	0	0	0	0
26.4	0.1	0.1	0.1	0.1	0.2
26.5	0.1	0.1	0.2	0.3	0.3
26.6	0.2	0.2	0.3	0.4	0.5
26.7	0.2	0.3	0.4	0.5	0.6
26.8	0.3	0.3	0.5	0.7	0.8
26.9	0.3	0.4	0.6	0.8	0.9
27	0.4	0.5	0.7	0.9	1.1
27.1	0.4	0.5	0.8	1.1	1.2
27.2	0.5	0.6	0.9	1.2	1.4
27.3	0.5	0.7	1	1.3	1.5
27.4	0.6	0.7	1.1	1.5	1.7
27.5	0.6	0.8	1.2	1.6	1.8
27.6	0.7	0.9	1.3	1.7	2
27.7	0.7	0.9	1.4	1.9	2.1
27.8	0.8	1	1.5	2	2.3
27.9	0.8	1.1	1.6	2.1	2.4
28	0.9	1.1	1.7	2.3	2.6
28.1	0.9	1.2	1.8	2.4	2.7
28.2	1	1.3	1.9	2.5	2.9
28.3	1	1.3	2	2.7	3
28.4	1.1	1.4	2.1	2.8	3.2
28.5	1.1	1.5	2.2	2.9	3.3
28.6	1.2	1.5	2.3	3.1	3.5
28.7	1.2	1.6	2.4	3.2	3.6
28.8	1.3	1.7	2.5	3.3	3.8
28.9	1.3	1.7	2.6	3.5	3.9
29	1.4	1.8	2.7	3.6	4.1
29.1	1.4	1.9	2.8	3.7	4.2
29.2	1.5	1.9	2.9	3.9	4.4
29.3	1.5	2	3	4	4.5
29.4	1.6	2.1	3.1	4.1	4.7
29.5	1.6	2.1	3.2	4.3	4.8
29.6	1.7	2.2	3.3	4.4	5
29.7	1.7	2.3	3.4	4.5	5.1
29.8	1.8	2.3	3.5	4.7	5.3
29.9	1.8	2.4	3.6	4.8	5.4
30	1.9	2.5	3.7	4.9	5.6
30.1	1.9	2.5	3.8	5.1	5.7

Index Well: AIW231

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D	Zone E
30.2	2	2.6	3.9	5.2	5.9
30.3	2	2.7	4	5.3	6
30.4	2.1	2.7	4.1	5.5	6.2
30.5	2.1	2.8	4.2	5.6	6.3
30.6	2.2	2.9	4.3	5.7	6.5
30.7	2.2	2.9	4.4	5.9	6.6
30.8	2.3	3	4.5	6	6.8
30.9	2.3	3.1	4.6	6.1	6.9
31	2.4	3.1	4.7	6.3	7.1
31.1	2.4	3.2	4.8	6.4	7.2
31.2	2.5	3.3	4.9	6.5	7.4
31.3	2.5	3.3	5	6.7	7.5
31.4	2.6	3.4	5.1	6.8	7.7
31.5	2.6	3.5	5.2	6.9	7.8
31.6	2.7	3.5	5.3	7.1	8
31.7	2.7	3.6	5.4	7.2	8.1
31.8	2.8	3.7	5.5	7.3	8.3
31.9	2.8	3.7	5.6	7.5	8.4
32	2.9	3.8	5.7	7.6	8.6
32.1	2.9	3.9	5.8	7.7	8.7
32.2	3	3.9	5.9	7.9	8.9
32.3	3	4	6	8	9
32.4	3.1	4.1	6.1	8.1	9.2
32.5	3.1	4.1	6.2	8.3	9.3
32.6	3.2	4.2	6.3	8.4	9.5
32.7	3.2	4.3	6.4	8.5	9.6
32.8	3.3	4.3	6.5	8.7	9.8
32.9	3.3	4.4	6.6	8.8	9.9
33	3.4	4.5	6.7	8.9	10.1
33.1	3.4	4.5	6.8	9.1	10.2
33.2	3.5	4.6	6.9	9.2	10.4
33.3	3.5	4.7	7	9.3	10.5
33.4	3.6	4.7	7.1	9.5	10.7
33.5	3.6	4.8	7.2	9.6	10.8
33.6	3.7	4.9	7.3	9.7	11
33.7	3.7	4.9	7.4	9.9	11.1
33.8	3.8	5	7.5	10	11.3
33.9	3.8	5.1	7.6	10.1	11.4
34	3.9	5.1	7.7	10.3	11.6
34.1	3.9	5.2	7.8	10.4	11.7
34.2	4	5.3	7.9	10.5	11.9
34.3	4	5.3	8	10.7	12
34.4	4.1	5.4	8.1	10.8	12.2

Index Well: AIW231

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D	Zone E
34.5	4.1	5.5	8.2	10.9	12.3
34.6	4.2	5.5	8.3	11.1	12.5
34.7	4.2	5.6	8.4	11.2	12.6
34.8	4.3	5.7	8.5	11.3	12.8
34.9	4.3	5.7	8.6	11.5	12.9
35	4.4	5.8	8.7	11.6	13.1
35.1	4.4	5.9	8.8	11.7	13.2
35.2	4.5	5.9	8.9	11.9	13.4
35.3	4.5	6	9	12	13.5
35.4	4.6	6.1	9.1	12.1	13.7
35.5	4.6	6.1	9.2	12.3	13.8
35.6	4.7	6.2	9.3	12.4	14
35.7	4.7	6.3	9.4	12.5	14.1
35.8	4.8	6.3	9.5	12.7	14.3
35.9	4.8	6.4	9.6	12.8	14.4
36	4.9	6.5	9.7	12.9	14.6
36.1	4.9	6.5	9.8	13.1	14.7
36.2	5	6.6	9.9	13.2	14.9
36.3	5	6.7	10	13.3	15
36.4	5.1	6.7	10.1	13.5	15.2
36.5	5.1	6.8	10.2	13.6	15.3
36.6	5.2	6.9	10.3	13.7	15.5
36.7	5.2	6.9	10.4	13.9	15.6
36.8	5.3	7	10.5	14	15.8
36.9	5.3	7.1	10.6	14.1	15.9
37	5.4	7.1	10.7	14.3	16.1
37.1	5.4	7.2	10.8	14.4	16.2
37.2	5.5	7.3	10.9	14.5	16.4

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: AIW247

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)			
	Zone A	Zone B	Zone C	Zone D
20.7	0	0	0	0
20.8	0.1	0.1	0.1	0.2
20.9	0.1	0.2	0.3	0.3
21	0.2	0.3	0.4	0.5
21.1	0.3	0.4	0.5	0.7
21.2	0.3	0.5	0.7	0.8
21.3	0.4	0.6	0.8	1
21.4	0.5	0.7	0.9	1.2
21.5	0.5	0.8	1.1	1.3
21.6	0.6	0.9	1.2	1.5
21.7	0.7	1	1.3	1.7
21.8	0.7	1.1	1.5	1.8
21.9	0.8	1.2	1.6	2
22	0.9	1.3	1.7	2.2
22.1	0.9	1.4	1.9	2.3
22.2	1	1.5	2	2.4
22.3	1.1	1.6	2.1	2.7
22.4	1.1	1.7	2.3	2.8
22.5	1.2	1.8	2.4	3
22.6	1.3	1.9	2.5	3.2
22.7	1.3	2	2.7	3.3
22.8	1.4	2.1	2.8	3.5
22.9	1.5	2.2	2.9	3.7
23	1.5	2.3	3.1	3.8
23.1	1.6	2.4	3.2	4
23.2	1.7	2.5	3.3	4.2
23.3	1.7	2.6	3.5	4.3
23.4	1.8	2.7	3.6	4.5
23.5	1.9	2.8	3.7	4.7
23.6	1.9	2.9	3.9	4.8
23.7	2	3	4	5
23.8	2.1	3.1	4.1	5.2
23.9	2.1	3.2	4.3	5.3
24	2.2	3.3	4.4	5.5
24.1	2.3	3.4	4.5	5.7
24.2	2.3	3.5	4.7	5.8
24.3	2.4	3.6	4.8	6
24.4	2.5	3.7	4.9	6.2
24.5	2.5	3.8	5.1	6.3
24.6	2.6	3.9	5.2	6.5
24.7	2.7	4	5.3	6.7
24.8	2.7	4.1	5.5	6.8

Index Well: AIW247

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
24.9	2.8	4.2	5.6	7
25	2.9	4.3	5.7	7.2
25.1	2.9	4.4	5.9	7.3
25.2	3	4.5	6	7.5
25.3	3.1	4.6	6.1	7.7
25.4	3.1	4.7	6.3	7.8
25.5	3.2	4.8	6.4	8
25.6	3.3	4.9	6.5	8.2
25.7	3.3	5	6.7	8.3
25.8	3.4	5.1	6.8	8.5
25.9	3.5	5.2	6.9	8.7
26	3.5	5.3	7.1	8.8
26.1	3.6	5.4	7.2	9
26.2	3.7	5.5	7.3	9.2
26.3	3.7	5.6	7.5	9.3
26.4	3.8	5.7	7.6	9.5
26.5	3.9	5.8	7.7	9.7
26.6	3.9	5.9	7.9	9.8
26.7	4	6	8	10
26.8	4.1	6.1	8.1	10.2
26.9	4.1	6.2	8.3	10.3
27	4.2	6.3	8.4	10.5
27.1	4.3	6.4	8.5	10.7
27.2	4.3	6.5	8.7	10.8
27.3	4.4	6.6	8.8	11
27.4	4.5	6.7	8.9	11.2
27.5	4.5	6.8	9.1	11.3
27.6	4.6	6.9	9.2	11.5
27.7	4.7	7	9.3	11.7
27.8	4.7	7.1	9.5	11.8
27.9	4.8	7.2	9.6	12
28	4.9	7.3	9.7	12.2
28.1	4.9	7.4	9.9	12.3
28.2	5	7.5	10	12.5
28.3	5.1	7.6	10.1	12.7
28.4	5.1	7.7	10.3	12.8
28.5	5.2	7.8	10.4	13
28.6	5.3	7.9	10.5	13.2
28.7	5.3	8	10.7	13.3
28.8	5.4	8.1	10.8	13.5
28.9	5.5	8.2	10.9	13.7
29	5.5	8.3	11.1	13.8
29.1	5.6	8.4	11.2	14
29.2	5.7	8.5	11.3	14.2
29.3	5.7	8.6	11.5	14.3
29.4	5.8	8.7	11.6	14.5
29.5	5.9	8.8	11.7	14.7

Index Well: AIW247

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
29.6	5.9	8.9	11.9	14.8
29.7	6	9	12	15
29.8	6.1	9.1	12.1	15.2
29.9	6.1	9.2	12.3	15.3
30	6.2	9.3	12.4	15.5
30.1	6.3	9.4	12.5	15.7
30.2	6.3	9.5	12.7	15.8
30.3	6.4	9.6	12.8	16
30.4	6.5	9.7	12.9	16.2
30.5	6.5	9.8	13.1	16.3
30.6	6.6	9.9	13.2	16.5
30.7	6.7	10	13.3	16.7
30.8	6.7	10.1	13.5	16.8
30.9	6.8	10.2	13.6	17
31	6.9	10.3	13.7	17.2
31.1	6.9	10.4	13.9	17.3
31.2	7	10.5	14	17.5
31.3	7.1	10.6	14.1	17.7
31.4	7.1	10.7	14.3	17.8
31.5	7.2	10.8	14.4	18
31.6	7.3	10.9	14.5	18.2
31.7	7.3	11	14.7	18.3
31.8	7.4	11.1	14.8	18.5
31.9	7.5	11.2	14.9	18.7
32	7.5	11.3	15.1	18.8
32.1	7.6	11.4	15.2	19
32.2	7.7	11.5	15.3	19.2
32.3	7.7	11.6	15.5	19.3
32.4	7.8	11.7	15.6	19.5
32.5	7.9	11.8	15.7	19.7
32.6	7.9	11.9	15.9	19.8
32.7	8	12	16	20
32.8	8.1	12.1	16.1	20.2
32.9	8.1	12.2	16.3	20.3
33	8.2	12.3	16.4	20.5
33.1	8.3	12.4	16.5	20.7
33.2	8.3	12.5	16.7	20.8
33.3	8.4	12.6	16.8	21
33.4	8.5	12.7	16.9	21.2
33.5	8.5	12.8	17.1	21.3
33.6	8.6	12.9	17.2	21.5

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: BMW21

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)	
	Zone A	Zone B
6.9	0	0
7	0.1	0.1
7.1	0.1	0.2
7.2	0.2	0.3
7.3	0.3	0.4
7.4	0.3	0.5
7.5	0.4	0.6
7.6	0.5	0.7
7.7	0.5	0.8
7.8	0.6	0.9
7.9	0.7	1
8	0.7	1.1
8.1	0.8	1.2
8.2	0.9	1.3
8.3	0.9	1.4
8.4	1	1.5
8.5	1.1	1.6
8.6	1.1	1.7
8.7	1.2	1.8
8.8	1.3	1.9
8.9	1.3	2
9	1.4	2.1
9.1	1.5	2.2
9.2	1.5	2.3
9.3	1.6	2.4
9.4	1.7	2.5
9.5	1.7	2.6
9.6	1.8	2.7
9.7	1.9	2.8
9.8	1.9	2.9
9.9	2	3
10	2.1	3.1
10.1	2.1	3.2
10.2	2.2	3.3
10.3	2.3	3.4
10.4	2.3	3.5
10.5	2.4	3.6
10.6	2.5	3.7

Index Well: **BMW21**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B
10.7	2.5	3.8
10.8	2.6	3.9
10.9	2.7	4
11	2.7	4.1
11.1	2.8	4.2
11.2	2.9	4.3
11.3	2.9	4.4
11.4	3	4.5
11.5	3.1	4.6
11.6	3.1	4.7
11.7	3.2	4.8
11.8	3.3	4.9
11.9	3.3	5
12	3.4	5.1
12.1	3.5	5.2
12.2	3.5	5.3
12.3	3.6	5.4
12.4	3.7	5.5
12.5	3.7	5.6
12.6	3.8	5.7
12.7	3.9	5.8
12.8	3.9	5.9
12.9	4	6
13	4.1	6.1
13.1	4.1	6.2
13.2	4.2	6.3
13.3	4.3	6.4
13.4	4.3	6.5
13.5	4.4	6.6
13.6	4.5	6.7
13.7	4.5	6.8
13.8	4.6	6.9
13.9	4.7	7
14	4.7	7.1
14.1	4.8	7.2
14.2	4.9	7.3
14.3	4.9	7.4
14.4	5	7.5
14.5	5.1	7.6
14.6	5.1	7.7
14.7	5.2	7.8
14.8	5.3	7.9
14.9	5.3	8

Index Well: **BMW21**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B
15	5.4	8.1
15.1	5.5	8.2
15.2	5.5	8.3
15.3	5.6	8.4
15.4	5.7	8.5
15.5	5.7	8.6
15.6	5.8	8.7
15.7	5.9	8.8
15.8	5.9	8.9
15.9	6	9
16	6.1	9.1
16.1	6.1	9.2
16.2	6.2	9.3
16.3	6.3	9.4
16.4	6.3	9.5
16.5	6.4	9.6
16.6	6.5	9.7
16.7	6.5	9.8
16.8	6.6	9.9
16.9	6.7	10
17	6.7	10.1
17.1	6.8	10.2
17.2	6.9	10.3
17.3	6.9	10.4
17.4	7	10.5
17.5	7.1	10.6
17.6	7.1	10.7
17.7	7.2	10.8
17.8	7.3	10.9
17.9	7.3	11

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: CGW138

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)			
	Zone A	Zone B	Zone C	Zone D
20.9	0	0	0	0
21	0.1	0.1	0.1	0.2
21.1	0.1	0.2	0.3	0.3
21.2	0.2	0.3	0.4	0.5
21.3	0.3	0.4	0.5	0.7
21.4	0.3	0.5	0.7	0.8
21.5	0.4	0.6	0.8	1
21.6	0.5	0.7	0.9	1.2
21.7	0.5	0.8	1.1	1.3
21.8	0.6	0.9	1.2	1.5
21.9	0.7	1	1.3	1.7
22	0.7	1.1	1.5	1.8
22.1	0.8	1.2	1.6	2
22.2	0.9	1.3	1.7	2.2
22.3	0.9	1.4	1.9	2.3
22.4	1	1.5	2	2.4
22.5	1.1	1.6	2.1	2.7
22.6	1.1	1.7	2.3	2.8
22.7	1.2	1.8	2.4	3
22.8	1.3	1.9	2.5	3.2
22.9	1.3	2	2.7	3.3
23	1.4	2.1	2.8	3.5
23.1	1.5	2.2	2.9	3.7
23.2	1.5	2.3	3.1	3.8
23.3	1.6	2.4	3.2	4
23.4	1.7	2.5	3.3	4.2
23.5	1.7	2.6	3.5	4.3
23.6	1.8	2.7	3.6	4.5
23.7	1.9	2.8	3.7	4.7
23.8	1.9	2.9	3.9	4.8
23.9	2	3	4	5
24	2.1	3.1	4.1	5.2
24.1	2.1	3.2	4.3	5.3
24.2	2.2	3.3	4.4	5.5
24.3	2.3	3.4	4.5	5.7
24.4	2.3	3.5	4.7	5.8
24.5	2.4	3.6	4.8	6
24.6	2.5	3.7	4.9	6.2

Index Well: CGW138

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
24.7	2.5	3.8	5.1	6.3
24.8	2.6	3.9	5.2	6.5
24.9	2.7	4	5.3	6.7
25	2.7	4.1	5.5	6.8
25.1	2.8	4.2	5.6	7
25.2	2.9	4.3	5.7	7.2
25.3	2.9	4.4	5.9	7.3
25.4	3	4.5	6	7.5
25.5	3.1	4.6	6.1	7.7
25.6	3.1	4.7	6.3	7.8
25.7	3.2	4.8	6.4	8
25.8	3.3	4.9	6.5	8.2
25.9	3.3	5	6.7	8.3
26	3.4	5.1	6.8	8.5
26.1	3.5	5.2	6.9	8.7
26.2	3.5	5.3	7.1	8.8
26.3	3.6	5.4	7.2	9
26.4	3.7	5.5	7.3	9.2
26.5	3.7	5.6	7.5	9.3
26.6	3.8	5.7	7.6	9.5
26.7	3.9	5.8	7.7	9.7
26.8	3.9	5.9	7.9	9.8
26.9	4	6	8	10
27	4.1	6.1	8.1	10.2
27.1	4.1	6.2	8.3	10.3
27.2	4.2	6.3	8.4	10.5
27.3	4.3	6.4	8.5	10.7
27.4	4.3	6.5	8.7	10.8
27.5	4.4	6.6	8.8	11
27.6	4.5	6.7	8.9	11.2
27.7	4.5	6.8	9.1	11.3
27.8	4.6	6.9	9.2	11.5
27.9	4.7	7	9.3	11.7
28	4.7	7.1	9.5	11.8
28.1	4.8	7.2	9.6	12
28.2	4.9	7.3	9.7	12.2
28.3	4.9	7.4	9.9	12.3
28.4	5	7.5	10	12.5
28.5	5.1	7.6	10.1	12.7
28.6	5.1	7.7	10.3	12.8
28.7	5.2	7.8	10.4	13
28.8	5.3	7.9	10.5	13.2

Index Well: CGW138

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
28.9	5.3	8	10.7	13.3
29	5.4	8.1	10.8	13.5
29.1	5.5	8.2	10.9	13.7
29.2	5.5	8.3	11.1	13.8
29.3	5.6	8.4	11.2	14
29.4	5.7	8.5	11.3	14.2
29.5	5.7	8.6	11.5	14.3
29.6	5.8	8.7	11.6	14.5
29.7	5.9	8.8	11.7	14.7
29.8	5.9	8.9	11.9	14.8
29.9	6	9	12	15
30	6.1	9.1	12.1	15.2
30.1	6.1	9.2	12.3	15.3
30.2	6.2	9.3	12.4	15.5
30.3	6.3	9.4	12.5	15.7
30.4	6.3	9.5	12.7	15.8
30.5	6.4	9.6	12.8	16
30.6	6.5	9.7	12.9	16.2
30.7	6.5	9.8	13.1	16.3
30.8	6.6	9.9	13.2	16.5
30.9	6.7	10	13.3	16.7
31	6.7	10.1	13.5	16.8
31.1	6.8	10.2	13.6	17
31.2	6.9	10.3	13.7	17.2
31.3	6.9	10.4	13.9	17.3

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: MIW29

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)			
	Zone A	Zone B	Zone C	Zone D
5.7	0	0	0	0
5.8	0.1	0.1	0.1	0.2
5.9	0.1	0.2	0.3	0.3
6	0.2	0.3	0.4	0.5
6.1	0.3	0.4	0.5	0.7
6.2	0.3	0.5	0.7	0.8
6.3	0.4	0.6	0.8	1
6.4	0.5	0.7	0.9	1.2
6.5	0.5	0.8	1.1	1.3
6.6	0.6	0.9	1.2	1.5
6.7	0.7	1	1.3	1.7
6.8	0.7	1.1	1.5	1.8
6.9	0.8	1.2	1.6	2
7	0.9	1.3	1.7	2.2
7.1	0.9	1.4	1.9	2.3
7.2	1	1.5	2	2.4
7.3	1.1	1.6	2.1	2.7
7.4	1.1	1.7	2.3	2.8
7.5	1.2	1.8	2.4	3
7.6	1.3	1.9	2.5	3.2
7.7	1.3	2	2.7	3.3
7.8	1.4	2.1	2.8	3.5
7.9	1.5	2.2	2.9	3.7
8	1.5	2.3	3.1	3.8
8.1	1.6	2.4	3.2	4
8.2	1.7	2.5	3.3	4.2
8.3	1.7	2.6	3.5	4.3
8.4	1.8	2.7	3.6	4.5
8.5	1.9	2.8	3.7	4.7
8.6	1.9	2.9	3.9	4.8
8.7	2	3	4	5
8.8	2.1	3.1	4.1	5.2
8.9	2.1	3.2	4.3	5.3
9	2.2	3.3	4.4	5.5
9.1	2.3	3.4	4.5	5.7
9.2	2.3	3.5	4.7	5.8
9.3	2.4	3.6	4.8	6
9.4	2.5	3.7	4.9	6.2
9.5	2.5	3.8	5.1	6.3

Index Well: MIW29

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
9.6	2.6	3.9	5.2	6.5
9.7	2.7	4	5.3	6.7
9.8	2.7	4.1	5.5	6.8
9.9	2.8	4.2	5.6	7
10	2.9	4.3	5.7	7.2
10.1	2.9	4.4	5.9	7.3
10.2	3	4.5	6	7.5
10.3	3.1	4.6	6.1	7.7
10.4	3.1	4.7	6.3	7.8
10.5	3.2	4.8	6.4	8
10.6	3.3	4.9	6.5	8.2
10.7	3.3	5	6.7	8.3
10.8	3.4	5.1	6.8	8.5
10.9	3.5	5.2	6.9	8.7
11	3.5	5.3	7.1	8.8
11.1	3.6	5.4	7.2	9
11.2	3.7	5.5	7.3	9.2
11.3	3.7	5.6	7.5	9.3
11.4	3.8	5.7	7.6	9.5
11.5	3.9	5.8	7.7	9.7
11.6	3.9	5.9	7.9	9.8
11.7	4	6	8	10
11.8	4.1	6.1	8.1	10.2
11.9	4.1	6.2	8.3	10.3
12	4.2	6.3	8.4	10.5
12.1	4.3	6.4	8.5	10.7
12.2	4.3	6.5	8.7	10.8
12.3	4.4	6.6	8.8	11
12.4	4.5	6.7	8.9	11.2
12.5	4.5	6.8	9.1	11.3
12.6	4.6	6.9	9.2	11.5
12.7	4.7	7	9.3	11.7
12.8	4.7	7.1	9.5	11.8
12.9	4.8	7.2	9.6	12
13	4.9	7.3	9.7	12.2
13.1	4.9	7.4	9.9	12.3
13.2	5	7.5	10	12.5
13.3	5.1	7.6	10.1	12.7
13.4	5.1	7.7	10.3	12.8
13.5	5.2	7.8	10.4	13
13.6	5.3	7.9	10.5	13.2
13.7	5.3	8	10.7	13.3
13.8	5.4	8.1	10.8	13.5

Index Well: MIW29

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
13.9	5.5	8.2	10.9	13.7
14	5.5	8.3	11.1	13.8
14.1	5.6	8.4	11.2	14
14.2	5.7	8.5	11.3	14.2
14.3	5.7	8.6	11.5	14.3
14.4	5.8	8.7	11.6	14.5
14.5	5.9	8.8	11.7	14.7
14.6	5.9	8.9	11.9	14.8
14.7	6	9	12	15
14.8	6.1	9.1	12.1	15.2
14.9	6.1	9.2	12.3	15.3
15	6.2	9.3	12.4	15.5
15.1	6.3	9.4	12.5	15.7

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: SDW252

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)			
	Zone A	Zone B	Zone C	Zone D
45.9	0	0	0	0
46	0.1	0.2	0.2	0.3
46.1	0.2	0.3	0.4	0.5
46.2	0.3	0.5	0.6	0.8
46.3	0.4	0.6	0.8	1
46.4	0.5	0.8	1	1.3
46.5	0.6	0.9	1.2	1.5
46.6	0.7	1.1	1.4	1.8
46.7	0.8	1.2	1.6	2
46.8	0.9	1.4	1.8	2.3
46.9	1	1.5	2	2.5
47	1.1	1.7	2.2	2.8
47.1	1.2	1.8	2.4	3
47.2	1.3	2	2.6	3.3
47.3	1.4	2.1	2.8	3.5
47.4	1.5	2.3	3	3.8
47.5	1.6	2.4	3.2	4
47.6	1.7	2.6	3.4	4.3
47.7	1.8	2.7	3.6	4.5
47.8	1.9	2.9	3.8	4.8
47.9	2	3	4	5
48	2.1	3.2	4.2	5.3
48.1	2.2	3.3	4.4	5.5
48.2	2.3	3.5	4.6	5.8
48.3	2.4	3.6	4.8	6
48.4	2.5	3.8	5	6.3
48.5	2.6	3.9	5.2	6.5
48.6	2.7	4.1	5.4	6.8
48.7	2.8	4.2	5.6	7
48.8	2.9	4.4	5.8	7.3
48.9	3	4.5	6	7.5
49	3.1	4.7	6.2	7.8
49.1	3.2	4.8	6.4	8
49.2	3.3	5	6.6	8.3
49.3	3.4	5.1	6.8	8.5
49.4	3.5	5.3	7	8.8
49.5	3.6	5.4	7.2	9
49.6	3.7	5.6	7.4	9.3
49.7	3.8	5.7	7.6	9.5

Index Well: SDW252

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
49.8	3.9	5.9	7.8	9.8
49.9	4	6	8	10
50	4.1	6.2	8.2	10.3
50.1	4.2	6.3	8.4	10.5
50.2	4.3	6.5	8.6	10.8
50.3	4.4	6.6	8.8	11
50.4	4.5	6.8	9	11.3
50.5	4.6	6.9	9.2	11.5
50.6	4.7	7.1	9.4	11.8
50.7	4.8	7.2	9.6	12
50.8	4.9	7.4	9.8	12.3
50.9	5	7.5	10	12.5
51	5.1	7.7	10.2	12.8
51.1	5.2	7.8	10.4	13
51.2	5.3	8	10.6	13.3
51.3	5.4	8.1	10.8	13.5
51.4	5.5	8.3	11	13.8
51.5	5.6	8.4	11.2	14
51.6	5.7	8.6	11.4	14.3
51.7	5.8	8.7	11.6	14.5
51.8	5.9	8.9	11.8	14.8
51.9	6	9	12	15
52	6.1	9.2	12.2	15.3
52.1	6.2	9.3	12.4	15.5
52.2	6.3	9.5	12.6	15.8
52.3	6.4	9.6	12.8	16
52.4	6.5	9.8	13	16.3
52.5	6.6	9.9	13.2	16.5
52.6	6.7	10.1	13.4	16.8
52.7	6.8	10.2	13.6	17
52.8	6.9	10.4	13.8	17.3
52.9	7	10.5	14	17.5
53	7.1	10.7	14.2	17.8
53.1	7.2	10.8	14.4	18
53.2	7.3	11	14.6	18.3

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: SDW253

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)		
	Zone A	Zone B	Zone C
45.8	0	0	0
45.9	0.1	0.1	0.1
46	0.1	0.2	0.3
46.1	0.2	0.3	0.4
46.2	0.3	0.4	0.5
46.3	0.3	0.5	0.7
46.4	0.4	0.6	0.8
46.5	0.5	0.7	0.9
46.6	0.5	0.8	1.1
46.7	0.6	0.9	1.2
46.8	0.7	1	1.3
46.9	0.7	1.1	1.5
47	0.8	1.2	1.6
47.1	0.9	1.3	1.7
47.2	0.9	1.4	1.9
47.3	1	1.5	2
47.4	1.1	1.6	2.1
47.5	1.1	1.7	2.3
47.6	1.2	1.8	2.4
47.7	1.3	1.9	2.5
47.8	1.3	2	2.7
47.9	1.4	2.1	2.8
48	1.5	2.2	2.9
48.1	1.5	2.3	3.1
48.2	1.6	2.4	3.2
48.3	1.7	2.5	3.3
48.4	1.7	2.6	3.5
48.5	1.8	2.7	3.6
48.6	1.9	2.8	3.7
48.7	1.9	2.9	3.9
48.8	2	3	4
48.9	2.1	3.1	4.1
49	2.1	3.2	4.3
49.1	2.2	3.3	4.4
49.2	2.3	3.4	4.5
49.3	2.3	3.5	4.7
49.4	2.4	3.6	4.8
49.5	2.5	3.7	4.9

Index Well: SDW253

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
49.6	2.5	3.8	5.1
49.7	2.6	3.9	5.2
49.8	2.7	4	5.3
49.9	2.7	4.1	5.5
50	2.8	4.2	5.6
50.1	2.9	4.3	5.7
50.2	2.9	4.4	5.9
50.3	3	4.5	6
50.4	3.1	4.6	6.1
50.5	3.1	4.7	6.3
50.6	3.2	4.8	6.4
50.7	3.3	4.9	6.5
50.8	3.3	5	6.7
50.9	3.4	5.1	6.8
51	3.5	5.2	6.9
51.1	3.5	5.3	7.1
51.2	3.6	5.4	7.2
51.3	3.7	5.5	7.3
51.4	3.7	5.6	7.5
51.5	3.8	5.7	7.6
51.6	3.9	5.8	7.7
51.7	3.9	5.9	7.9
51.8	4	6	8
51.9	4.1	6.1	8.1
52	4.1	6.2	8.3
52.1	4.2	6.3	8.4
52.2	4.3	6.4	8.5
52.3	4.3	6.5	8.7
52.4	4.4	6.6	8.8
52.5	4.5	6.7	8.9
52.6	4.5	6.8	9.1
52.7	4.6	6.9	9.2
52.8	4.7	7	9.3
52.9	4.7	7.1	9.5
53	4.8	7.2	9.6
53.1	4.9	7.3	9.7
53.2	4.9	7.4	9.9
53.3	5	7.5	10
53.4	5.1	7.6	10.1
53.5	5.1	7.7	10.3
53.6	5.2	7.8	10.4
53.7	5.3	7.9	10.5

Index Well: SDW253

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
53.8	5.3	8	10.7
53.9	5.4	8.1	10.8
54	5.5	8.2	10.9
54.1	5.5	8.3	11.1
54.2	5.6	8.4	11.2
54.3	5.7	8.5	11.3
54.4	5.7	8.6	11.5
54.5	5.8	8.7	11.6
54.6	5.9	8.8	11.7
54.7	5.9	8.9	11.9
54.8	6	9	12
54.9	6.1	9.1	12.1
55	6.1	9.2	12.3
55.1	6.2	9.3	12.4
55.2	6.3	9.4	12.5
55.3	6.3	9.5	12.7
55.4	6.4	9.6	12.8
55.5	6.5	9.7	12.9
55.6	6.5	9.8	13.1
55.7	6.6	9.9	13.2
55.8	6.7	10	13.3
55.9	6.7	10.1	13.5
56	6.8	10.2	13.6
56.1	6.9	10.3	13.7
56.2	6.9	10.4	13.9
56.3	7	10.5	14
56.4	7.1	10.6	14.1
56.5	7.1	10.7	14.3
56.6	7.2	10.8	14.4
56.7	7.3	10.9	14.5
56.8	7.3	11	14.7
56.9	7.4	11.1	14.8
57	7.5	11.2	14.9
57.1	7.5	11.3	15.1
57.2	7.6	11.4	15.2
57.3	7.7	11.5	15.3
57.4	7.7	11.6	15.5
57.5	7.8	11.7	15.6
57.6	7.9	11.8	15.7
57.7	7.9	11.9	15.9
57.8	8	12	16
57.9	8.1	12.1	16.1

Index Well: SDW253

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
58	8.1	12.2	16.3
58.1	8.2	12.3	16.4
58.2	8.3	12.4	16.5
58.3	8.3	12.5	16.7
58.4	8.4	12.6	16.8
58.5	8.5	12.7	16.9
58.6	8.5	12.8	17.1
58.7	8.6	12.9	17.2
58.8	8.7	13	17.3
58.9	8.7	13.1	17.5
59	8.8	13.2	17.6
59.1	8.9	13.3	17.7
59.2	8.9	13.4	17.9
59.3	9	13.5	18
59.4	9.1	13.6	18.1
59.5	9.1	13.7	18.3
59.6	9.2	13.8	18.4
59.7	9.3	13.9	18.5

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: TSW89

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)		
	Zone A	Zone B	Zone C
10.2	0	0	0
10.3	0.1	0.2	0.2
10.4	0.2	0.3	0.4
10.5	0.3	0.5	0.6
10.6	0.4	0.6	0.8
10.7	0.5	0.8	1
10.8	0.6	0.9	1.2
10.9	0.7	1.1	1.4
11	0.8	1.2	1.6
11.1	0.9	1.4	1.8
11.2	1	1.5	2
11.3	1.1	1.7	2.2
11.4	1.2	1.8	2.4
11.5	1.3	2	2.6
11.6	1.4	2.1	2.8
11.7	1.5	2.3	3
11.8	1.6	2.4	3.2
11.9	1.7	2.6	3.4
12	1.8	2.7	3.6
12.1	1.9	2.9	3.8
12.2	2	3	4
12.3	2.1	3.2	4.2
12.4	2.2	3.3	4.4
12.5	2.3	3.5	4.6
12.6	2.4	3.6	4.8
12.7	2.5	3.8	5
12.8	2.6	3.9	5.2
12.9	2.7	4.1	5.4
13	2.8	4.2	5.6
13.1	2.9	4.4	5.8
13.2	3	4.5	6
13.3	3.1	4.7	6.2
13.4	3.2	4.8	6.4
13.5	3.3	5	6.6
13.6	3.4	5.1	6.8
13.7	3.5	5.3	7
13.8	3.6	5.4	7.2
13.9	3.7	5.6	7.4
14	3.8	5.7	7.6

Index Well: TSW89

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
14.1	3.9	5.9	7.8
14.2	4	6	8
14.3	4.1	6.2	8.2
14.4	4.2	6.3	8.4
14.5	4.3	6.5	8.6
14.6	4.4	6.6	8.8
14.7	4.5	6.8	9
14.8	4.6	6.9	9.2
14.9	4.7	7.1	9.4
15	4.8	7.2	9.6
15.1	4.9	7.4	9.8
15.2	5	7.5	10
15.3	5.1	7.7	10.2
15.4	5.2	7.8	10.4
15.5	5.3	8	10.6
15.6	5.4	8.1	10.8
15.7	5.5	8.3	11
15.8	5.6	8.4	11.2
15.9	5.7	8.6	11.4
16	5.8	8.7	11.6
16.1	5.9	8.9	11.8
16.2	6	9	12
16.3	6.1	9.2	12.2
16.4	6.2	9.3	12.4
16.5	6.3	9.5	12.6
16.6	6.4	9.6	12.8
16.7	6.5	9.8	13
16.8	6.6	9.9	13.2
16.9	6.7	10.1	13.4
17	6.8	10.2	13.6
17.1	6.9	10.4	13.8
17.2	7	10.5	14
17.3	7.1	10.7	14.2
17.4	7.2	10.8	14.4
17.5	7.3	11	14.6
17.6	7.4	11.1	14.8
17.7	7.5	11.3	15
17.8	7.6	11.4	15.2
17.9	7.7	11.6	15.4
18	7.8	11.7	15.6
18.1	7.9	11.9	15.8

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: WNW17

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)		
	Zone A	Zone B	Zone C
7.3	0	0	0
7.4	0.1	0.1	0.1
7.5	0.1	0.1	0.2
7.6	0.2	0.2	0.3
7.7	0.2	0.3	0.4
7.8	0.3	0.3	0.5
7.9	0.3	0.4	0.6
8	0.4	0.5	0.7
8.1	0.4	0.5	0.8
8.2	0.5	0.6	0.9
8.3	0.5	0.7	1
8.4	0.6	0.7	1.1
8.5	0.6	0.8	1.2
8.6	0.7	0.9	1.3
8.7	0.7	0.9	1.4
8.8	0.8	1	1.5
8.9	0.8	1.1	1.6
9	0.9	1.1	1.7
9.1	0.9	1.2	1.8
9.2	1	1.3	1.9
9.3	1	1.3	2
9.4	1.1	1.4	2.1
9.5	1.1	1.5	2.2
9.6	1.2	1.5	2.3
9.7	1.2	1.6	2.4
9.8	1.3	1.7	2.5
9.9	1.3	1.7	2.6
10	1.4	1.8	2.7
10.1	1.4	1.9	2.8
10.2	1.5	1.9	2.9
10.3	1.5	2	3
10.4	1.6	2.1	3.1
10.5	1.6	2.1	3.2
10.6	1.7	2.2	3.3
10.7	1.7	2.3	3.4
10.8	1.8	2.3	3.5
10.9	1.8	2.4	3.6
11	1.9	2.5	3.7
11.1	1.9	2.5	3.8

Index Well: WNW17

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
11.2	2	2.6	3.9
11.3	2	2.7	4
11.4	2.1	2.7	4.1
11.5	2.1	2.8	4.2
11.6	2.2	2.9	4.3
11.7	2.2	2.9	4.4
11.8	2.3	3	4.5
11.9	2.3	3.1	4.6
12	2.4	3.1	4.7
12.1	2.4	3.2	4.8
12.2	2.5	3.3	4.9
12.3	2.5	3.3	5
12.4	2.6	3.4	5.1
12.5	2.6	3.5	5.2
12.6	2.7	3.5	5.3
12.7	2.7	3.6	5.4
12.8	2.8	3.7	5.5
12.9	2.8	3.7	5.6
13	2.9	3.8	5.7
13.1	2.9	3.9	5.8
13.2	3	3.9	5.9
13.3	3	4	6
13.4	3.1	4.1	6.1
13.5	3.1	4.1	6.2
13.6	3.2	4.2	6.3
13.7	3.2	4.3	6.4
13.8	3.3	4.3	6.5
13.9	3.3	4.4	6.6
14	3.4	4.5	6.7
14.1	3.4	4.5	6.8
14.2	3.5	4.6	6.9
14.3	3.5	4.7	7
14.4	3.6	4.7	7.1
14.5	3.6	4.8	7.2
14.6	3.7	4.9	7.3
14.7	3.7	4.9	7.4
14.8	3.8	5	7.5
14.9	3.8	5.1	7.6
15	3.9	5.1	7.7
15.1	3.9	5.2	7.8
15.2	4	5.3	7.9
15.3	4	5.3	8
15.4	4.1	5.4	8.1

Index Well: WNW17

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
15.5	4.1	5.5	8.2
15.6	4.2	5.5	8.3
15.7	4.2	5.6	8.4
15.8	4.3	5.7	8.5
15.9	4.3	5.7	8.6
16	4.4	5.8	8.7
16.1	4.4	5.9	8.8
16.2	4.5	5.9	8.9
16.3	4.5	6	9
16.4	4.6	6.1	9.1
16.5	4.6	6.1	9.2
16.6	4.7	6.2	9.3
16.7	4.7	6.3	9.4
16.8	4.8	6.3	9.5
16.9	4.8	6.4	9.6
17	4.9	6.5	9.7
17.1	4.9	6.5	9.8
17.2	5	6.6	9.9
17.3	5	6.7	10
17.4	5.1	6.7	10.1
17.5	5.1	6.8	10.2
17.6	5.2	6.9	10.3
17.7	5.2	6.9	10.4