

Potential Water-Level Rise (feet) for Index Well- Reference Tables

The below tables are applicable for Index Well Depth to Water measurements taken before January 2022.

Due to changes in the well network, new tables with appropriate adjustments were required. New reference tables are available and should be used with all future measurements starting in January 2022.

New reference tables are accessible at: [_](#)

[Tables of Potential Water Level Rise \(Effective January 2022\)](#)

https://www.capecodcommission.org/resource-library/file/?url=/dept/commission/team/Website_Resources/waterresources/Draft%20Current%20Groundwater%20Adjustment%20Tables.pdf

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: **AIW230**

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)				
	Zone A	Zone B	Zone C	Zone D	Zone E
20.5	0	0	0	0	0
20.6	0.1	0.1	0.1	0.1	0.2
20.7	0.1	0.1	0.2	0.3	0.3
20.8	0.2	0.2	0.3	0.4	0.5
20.9	0.2	0.3	0.4	0.5	0.6
21	0.3	0.3	0.5	0.7	0.8
21.1	0.3	0.4	0.6	0.8	0.9
21.2	0.4	0.5	0.7	0.9	1.1
21.3	0.4	0.5	0.8	1.1	1.2
21.4	0.5	0.6	0.9	1.2	1.4
21.5	0.5	0.7	1	1.3	1.5
21.6	0.6	0.7	1.1	1.5	1.7
21.7	0.6	0.8	1.2	1.6	1.8
21.8	0.7	0.9	1.3	1.7	2
21.9	0.7	0.9	1.4	1.9	2.1
22	0.8	1	1.5	2	2.3
22.1	0.8	1.1	1.6	2.1	2.4
22.2	0.9	1.1	1.7	2.3	2.6
22.3	0.9	1.2	1.8	2.4	2.7
22.4	1	1.3	1.9	2.5	2.9
22.5	1	1.3	2	2.7	3
22.6	1.1	1.4	2.1	2.8	3.2
22.7	1.1	1.5	2.2	2.9	3.3
22.8	1.2	1.5	2.3	3.1	3.5
22.9	1.2	1.6	2.4	3.2	3.6
23	1.3	1.7	2.5	3.3	3.8
23.1	1.3	1.7	2.6	3.5	3.9
23.2	1.4	1.8	2.7	3.6	4.1
23.3	1.4	1.9	2.8	3.7	4.2
23.4	1.5	1.9	2.9	3.9	4.4
23.5	1.5	2	3	4	4.5
23.6	1.6	2.1	3.1	4.1	4.7
23.7	1.6	2.1	3.2	4.3	4.8
23.8	1.7	2.2	3.3	4.4	5
23.9	1.7	2.3	3.4	4.5	5.1
24	1.8	2.3	3.5	4.7	5.3
24.1	1.8	2.4	3.6	4.8	5.4
24.2	1.9	2.5	3.7	4.9	5.6
24.3	1.9	2.5	3.8	5.1	5.7

Index Well: AIW230

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D	Zone E
24.4	2	2.6	3.9	5.2	5.9
24.5	2	2.7	4	5.3	6
24.6	2.1	2.7	4.1	5.5	6.2
24.7	2.1	2.8	4.2	5.6	6.3
24.8	2.2	2.9	4.3	5.70	6.5
24.9	2.2	2.9	4.4	5.9	6.6
25	2.3	3	4.5	6	6.8
25.1	2.3	3.1	4.6	6.1	6.9
25.2	2.4	3.1	4.7	6.3	7.1
25.3	2.4	3.2	4.8	6.4	7.2
25.4	2.5	3.3	4.9	6.5	7.4
25.5	2.5	3.3	5	6.7	7.5
25.6	2.6	3.4	5.1	6.8	7.7
25.7	2.6	3.5	5.2	6.9	7.8
25.8	2.7	3.5	5.3	7.1	8
25.9	2.7	3.6	5.4	7.2	8.1
26	2.8	3.7	5.5	7.3	8.3
26.1	2.8	3.7	5.6	7.5	8.4
26.2	2.9	3.8	5.7	7.6	8.6
26.3	2.9	3.9	5.8	7.7	8.7
26.4	3	3.9	5.9	7.9	8.9
26.5	3	4	6	8	9
26.6	3.1	4.1	6.1	8.1	9.2
26.7	3.1	4.1	6.2	8.3	9.3
26.8	3.2	4.2	6.3	8.4	9.5
26.9	3.2	4.3	6.4	8.5	9.6
27	3.3	4.3	6.5	8.7	9.8
27.1	3.3	4.4	6.6	8.8	9.9
27.2	3.4	4.5	6.7	8.9	10.1
27.3	3.4	4.5	6.8	9.1	10.2
27.4	3.5	4.6	6.9	9.2	10.4
27.5	3.5	4.7	7	9.3	10.5
27.6	3.6	4.7	7.1	9.5	10.7
27.7	3.6	4.8	7.2	9.6	10.8
27.8	3.7	4.9	7.3	9.7	11
27.9	3.7	4.9	7.4	9.9	11.1
28	3.8	5	7.5	10	11.3
28.1	3.8	5.1	7.6	10.1	11.4
28.2	3.9	5.1	7.7	10.3	11.6
28.3	3.9	5.2	7.8	10.4	11.7
28.4	4	5.3	7.9	10.5	11.9
28.5	4	5.3	8	10.7	12
28.6	4.1	5.4	8.1	10.8	12.2

Index Well: **AIW230**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D	Zone E
28.7	4.1	5.5	8.2	10.9	12.3
28.8	4.2	5.5	8.3	11.1	12.5
28.9	4.2	5.6	8.4	11.2	12.6
29	4.3	5.7	8.5	11.3	12.8
29.1	4.3	5.7	8.6	11.5	12.9
29.2	4.4	5.8	8.7	11.6	13.1
29.3	4.4	5.9	8.8	11.7	13.2
29.4	4.5	5.9	8.9	11.9	13.4
29.5	4.5	6	9	12	13.5
29.6	4.6	6.1	9.1	12.1	13.7
29.7	4.6	6.1	9.2	12.3	13.8
29.8	4.7	6.2	9.3	12.4	14
29.9	4.7	6.3	9.4	12.5	14.1
30	4.8	6.3	9.5	12.7	14.3
30.1	4.8	6.4	9.6	12.8	14.4
30.2	4.9	6.5	9.7	12.9	14.6
30.3	4.9	6.5	9.8	13.1	14.7
30.4	5	6.6	9.9	13.2	14.9
30.5	5	6.7	10	13.3	15
30.6	5.1	6.7	10.1	13.5	15.2
30.7	5.1	6.8	10.2	13.6	15.3
30.8	5.2	6.9	10.3	13.7	15.5
30.9	5.2	6.9	10.4	13.9	15.6
31	5.3	7	10.5	14	15.8
31.1	5.3	7.1	10.6	14.1	15.9
31.2	5.4	7.1	10.7	14.3	16.1
31.3	5.4	7.2	10.8	14.4	16.2
31.4	5.5	7.3	10.9	14.5	16.4

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: **AIW231**

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)				
	Zone A	Zone B	Zone C	Zone D	Zone E
26.3	0	0	0	0	0
26.4	0.1	0.1	0.1	0.1	0.2
26.5	0.1	0.1	0.2	0.3	0.3
26.6	0.2	0.2	0.3	0.4	0.5
26.7	0.2	0.3	0.4	0.5	0.6
26.8	0.3	0.3	0.5	0.7	0.8
26.9	0.3	0.4	0.6	0.8	0.9
27	0.4	0.5	0.7	0.9	1.1
27.1	0.4	0.5	0.8	1.1	1.2
27.2	0.5	0.6	0.9	1.2	1.4
27.3	0.5	0.7	1	1.3	1.5
27.4	0.6	0.7	1.1	1.5	1.7
27.5	0.6	0.8	1.2	1.6	1.8
27.6	0.7	0.9	1.3	1.7	2
27.7	0.7	0.9	1.4	1.9	2.1
27.8	0.8	1	1.5	2	2.3
27.9	0.8	1.1	1.6	2.1	2.4
28	0.9	1.1	1.7	2.3	2.6
28.1	0.9	1.2	1.8	2.4	2.7
28.2	1	1.3	1.9	2.5	2.9
28.3	1	1.3	2	2.7	3
28.4	1.1	1.4	2.1	2.8	3.2
28.5	1.1	1.5	2.2	2.9	3.3
28.6	1.2	1.5	2.3	3.1	3.5
28.7	1.2	1.6	2.4	3.2	3.6
28.8	1.3	1.7	2.5	3.3	3.8
28.9	1.3	1.7	2.6	3.5	3.9
29	1.4	1.8	2.7	3.6	4.1
29.1	1.4	1.9	2.8	3.7	4.2
29.2	1.5	1.9	2.9	3.9	4.4
29.3	1.5	2	3	4	4.5
29.4	1.6	2.1	3.1	4.1	4.7
29.5	1.6	2.1	3.2	4.3	4.8
29.6	1.7	2.2	3.3	4.4	5
29.7	1.7	2.3	3.4	4.5	5.1
29.8	1.8	2.3	3.5	4.7	5.3
29.9	1.8	2.4	3.6	4.8	5.4
30	1.9	2.5	3.7	4.9	5.6
30.1	1.9	2.5	3.8	5.1	5.7

Index Well: **AIW231**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D	Zone E
30.2	2	2.6	3.9	5.2	5.9
30.3	2	2.7	4	5.3	6
30.4	2.1	2.7	4.1	5.5	6.2
30.5	2.1	2.8	4.2	5.6	6.3
30.6	2.2	2.9	4.3	5.7	6.5
30.7	2.2	2.9	4.4	5.9	6.6
30.8	2.3	3	4.5	6	6.8
30.9	2.3	3.1	4.6	6.1	6.9
31	2.4	3.1	4.7	6.3	7.1
31.1	2.4	3.2	4.8	6.4	7.2
31.2	2.5	3.3	4.9	6.5	7.4
31.3	2.5	3.3	5	6.7	7.5
31.4	2.6	3.4	5.1	6.8	7.7
31.5	2.6	3.5	5.2	6.9	7.8
31.6	2.7	3.5	5.3	7.1	8
31.7	2.7	3.6	5.4	7.2	8.1
31.8	2.8	3.7	5.5	7.3	8.3
31.9	2.8	3.7	5.6	7.5	8.4
32	2.9	3.8	5.7	7.6	8.6
32.1	2.9	3.9	5.8	7.7	8.7
32.2	3	3.9	5.9	7.9	8.9
32.3	3	4	6	8	9
32.4	3.1	4.1	6.1	8.1	9.2
32.5	3.1	4.1	6.2	8.3	9.3
32.6	3.2	4.2	6.3	8.4	9.5
32.7	3.2	4.3	6.4	8.5	9.6
32.8	3.3	4.3	6.5	8.7	9.8
32.9	3.3	4.4	6.6	8.8	9.9
33	3.4	4.5	6.7	8.9	10.1
33.1	3.4	4.5	6.8	9.1	10.2
33.2	3.5	4.6	6.9	9.2	10.4
33.3	3.5	4.7	7	9.3	10.5
33.4	3.6	4.7	7.1	9.5	10.7
33.5	3.6	4.8	7.2	9.6	10.8
33.6	3.7	4.9	7.3	9.7	11
33.7	3.7	4.9	7.4	9.9	11.1
33.8	3.8	5	7.5	10	11.3
33.9	3.8	5.1	7.6	10.1	11.4
34	3.9	5.1	7.7	10.3	11.6
34.1	3.9	5.2	7.8	10.4	11.7
34.2	4	5.3	7.9	10.5	11.9
34.3	4	5.3	8	10.7	12
34.4	4.1	5.4	8.1	10.8	12.2

Index Well: **AIW231**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D	Zone E
34.5	4.1	5.5	8.2	10.9	12.3
34.6	4.2	5.5	8.3	11.1	12.5
34.7	4.2	5.6	8.4	11.2	12.6
34.8	4.3	5.7	8.5	11.3	12.8
34.9	4.3	5.7	8.6	11.5	12.9
35	4.4	5.8	8.7	11.6	13.1
35.1	4.4	5.9	8.8	11.7	13.2
35.2	4.5	5.9	8.9	11.9	13.4
35.3	4.5	6	9	12	13.5
35.4	4.6	6.1	9.1	12.1	13.7
35.5	4.6	6.1	9.2	12.3	13.8
35.6	4.7	6.2	9.3	12.4	14
35.7	4.7	6.3	9.4	12.5	14.1
35.8	4.8	6.3	9.5	12.7	14.3
35.9	4.8	6.4	9.6	12.8	14.4
36	4.9	6.5	9.7	12.9	14.6
36.1	4.9	6.5	9.8	13.1	14.7
36.2	5	6.6	9.9	13.2	14.9
36.3	5	6.7	10	13.3	15
36.4	5.1	6.7	10.1	13.5	15.2
36.5	5.1	6.8	10.2	13.6	15.3
36.6	5.2	6.9	10.3	13.7	15.5
36.7	5.2	6.9	10.4	13.9	15.6
36.8	5.3	7	10.5	14	15.8
36.9	5.3	7.1	10.6	14.1	15.9
37	5.4	7.1	10.7	14.3	16.1
37.1	5.4	7.2	10.8	14.4	16.2
37.2	5.5	7.3	10.9	14.5	16.4

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: **AIW247**

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)			
	Zone A	Zone B	Zone C	Zone D
20.7	0	0	0	0
20.8	0.1	0.1	0.1	0.2
20.9	0.1	0.2	0.3	0.3
21	0.2	0.3	0.4	0.5
21.1	0.3	0.4	0.5	0.7
21.2	0.3	0.5	0.7	0.8
21.3	0.4	0.6	0.8	1
21.4	0.5	0.7	0.9	1.2
21.5	0.5	0.8	1.1	1.3
21.6	0.6	0.9	1.2	1.5
21.7	0.7	1	1.3	1.7
21.8	0.7	1.1	1.5	1.8
21.9	0.8	1.2	1.6	2
22	0.9	1.3	1.7	2.2
22.1	0.9	1.4	1.9	2.3
22.2	1	1.5	2	2.4
22.3	1.1	1.6	2.1	2.7
22.4	1.1	1.7	2.3	2.8
22.5	1.2	1.8	2.4	3
22.6	1.3	1.9	2.5	3.2
22.7	1.3	2	2.7	3.3
22.8	1.4	2.1	2.8	3.5
22.9	1.5	2.2	2.9	3.7
23	1.5	2.3	3.1	3.8
23.1	1.6	2.4	3.2	4
23.2	1.7	2.5	3.3	4.2
23.3	1.7	2.6	3.5	4.3
23.4	1.8	2.7	3.6	4.5
23.5	1.9	2.8	3.7	4.7
23.6	1.9	2.9	3.9	4.8
23.7	2	3	4	5
23.8	2.1	3.1	4.1	5.2
23.9	2.1	3.2	4.3	5.3
24	2.2	3.3	4.4	5.5
24.1	2.3	3.4	4.5	5.7
24.2	2.3	3.5	4.7	5.8
24.3	2.4	3.6	4.8	6
24.4	2.5	3.7	4.9	6.2
24.5	2.5	3.8	5.1	6.3
24.6	2.6	3.9	5.2	6.5
24.7	2.7	4	5.3	6.7
24.8	2.7	4.1	5.5	6.8

Index Well: **AIW247**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
24.9	2.8	4.2	5.6	7
25	2.9	4.3	5.7	7.2
25.1	2.9	4.4	5.9	7.3
25.2	3	4.5	6	7.5
25.3	3.1	4.6	6.1	7.7
25.4	3.1	4.7	6.3	7.8
25.5	3.2	4.8	6.4	8
25.6	3.3	4.9	6.5	8.2
25.7	3.3	5	6.7	8.3
25.8	3.4	5.1	6.8	8.5
25.9	3.5	5.2	6.9	8.7
26	3.5	5.3	7.1	8.8
26.1	3.6	5.4	7.2	9
26.2	3.7	5.5	7.3	9.2
26.3	3.7	5.6	7.5	9.3
26.4	3.8	5.7	7.6	9.5
26.5	3.9	5.8	7.7	9.7
26.6	3.9	5.9	7.9	9.8
26.7	4	6	8	10
26.8	4.1	6.1	8.1	10.2
26.9	4.1	6.2	8.3	10.3
27	4.2	6.3	8.4	10.5
27.1	4.3	6.4	8.5	10.7
27.2	4.3	6.5	8.7	10.8
27.3	4.4	6.6	8.8	11
27.4	4.5	6.7	8.9	11.2
27.5	4.5	6.8	9.1	11.3
27.6	4.6	6.9	9.2	11.5
27.7	4.7	7	9.3	11.7
27.8	4.7	7.1	9.5	11.8
27.9	4.8	7.2	9.6	12
28	4.9	7.3	9.7	12.2
28.1	4.9	7.4	9.9	12.3
28.2	5	7.5	10	12.5
28.3	5.1	7.6	10.1	12.7
28.4	5.1	7.7	10.3	12.8
28.5	5.2	7.8	10.4	13
28.6	5.3	7.9	10.5	13.2
28.7	5.3	8	10.7	13.3
28.8	5.4	8.1	10.8	13.5
28.9	5.5	8.2	10.9	13.7
29	5.5	8.3	11.1	13.8
29.1	5.6	8.4	11.2	14
29.2	5.7	8.5	11.3	14.2
29.3	5.7	8.6	11.5	14.3
29.4	5.8	8.7	11.6	14.5
29.5	5.9	8.8	11.7	14.7

Index Well: **AIW247**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
29.6	5.9	8.9	11.9	14.8
29.7	6	9	12	15
29.8	6.1	9.1	12.1	15.2
29.9	6.1	9.2	12.3	15.3
30	6.2	9.3	12.4	15.5
30.1	6.3	9.4	12.5	15.7
30.2	6.3	9.5	12.7	15.8
30.3	6.4	9.6	12.8	16
30.4	6.5	9.7	12.9	16.2
30.5	6.5	9.8	13.1	16.3
30.6	6.6	9.9	13.2	16.5
30.7	6.7	10	13.3	16.7
30.8	6.7	10.1	13.5	16.8
30.9	6.8	10.2	13.6	17
31	6.9	10.3	13.7	17.2
31.1	6.9	10.4	13.9	17.3
31.2	7	10.5	14	17.5
31.3	7.1	10.6	14.1	17.7
31.4	7.1	10.7	14.3	17.8
31.5	7.2	10.8	14.4	18
31.6	7.3	10.9	14.5	18.2
31.7	7.3	11	14.7	18.3
31.8	7.4	11.1	14.8	18.5
31.9	7.5	11.2	14.9	18.7
32	7.5	11.3	15.1	18.8
32.1	7.6	11.4	15.2	19
32.2	7.7	11.5	15.3	19.2
32.3	7.7	11.6	15.5	19.3
32.4	7.8	11.7	15.6	19.5
32.5	7.9	11.8	15.7	19.7
32.6	7.9	11.9	15.9	19.8
32.7	8	12	16	20
32.8	8.1	12.1	16.1	20.2
32.9	8.1	12.2	16.3	20.3
33	8.2	12.3	16.4	20.5
33.1	8.3	12.4	16.5	20.7
33.2	8.3	12.5	16.7	20.8
33.3	8.4	12.6	16.8	21
33.4	8.5	12.7	16.9	21.2
33.5	8.5	12.8	17.1	21.3
33.6	8.6	12.9	17.2	21.5

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: **BMW21**

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)	
	Zone A	Zone B
6.9	0	0
7	0.1	0.1
7.1	0.1	0.2
7.2	0.2	0.3
7.3	0.3	0.4
7.4	0.3	0.5
7.5	0.4	0.6
7.6	0.5	0.7
7.7	0.5	0.8
7.8	0.6	0.9
7.9	0.7	1
8	0.7	1.1
8.1	0.8	1.2
8.2	0.9	1.3
8.3	0.9	1.4
8.4	1	1.5
8.5	1.1	1.6
8.6	1.1	1.7
8.7	1.2	1.8
8.8	1.3	1.9
8.9	1.3	2
9	1.4	2.1
9.1	1.5	2.2
9.2	1.5	2.3
9.3	1.6	2.4
9.4	1.7	2.5
9.5	1.7	2.6
9.6	1.8	2.7
9.7	1.9	2.8
9.8	1.9	2.9
9.9	2	3
10	2.1	3.1
10.1	2.1	3.2
10.2	2.2	3.3
10.3	2.3	3.4
10.4	2.3	3.5
10.5	2.4	3.6
10.6	2.5	3.7

Index Well: **BMW21**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B
10.7	2.5	3.8
10.8	2.6	3.9
10.9	2.7	4
11	2.7	4.1
11.1	2.8	4.2
11.2	2.9	4.3
11.3	2.9	4.4
11.4	3	4.5
11.5	3.1	4.6
11.6	3.1	4.7
11.7	3.2	4.8
11.8	3.3	4.9
11.9	3.3	5
12	3.4	5.1
12.1	3.5	5.2
12.2	3.5	5.3
12.3	3.6	5.4
12.4	3.7	5.5
12.5	3.7	5.6
12.6	3.8	5.7
12.7	3.9	5.8
12.8	3.9	5.9
12.9	4	6
13	4.1	6.1
13.1	4.1	6.2
13.2	4.2	6.3
13.3	4.3	6.4
13.4	4.3	6.5
13.5	4.4	6.6
13.6	4.5	6.7
13.7	4.5	6.8
13.8	4.6	6.9
13.9	4.7	7
14	4.7	7.1
14.1	4.8	7.2
14.2	4.9	7.3
14.3	4.9	7.4
14.4	5	7.5
14.5	5.1	7.6
14.6	5.1	7.7
14.7	5.2	7.8
14.8	5.3	7.9
14.9	5.3	8

Index Well: **BMW21**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B
15	5.4	8.1
15.1	5.5	8.2
15.2	5.5	8.3
15.3	5.6	8.4
15.4	5.7	8.5
15.5	5.7	8.6
15.6	5.8	8.7
15.7	5.9	8.8
15.8	5.9	8.9
15.9	6	9
16	6.1	9.1
16.1	6.1	9.2
16.2	6.2	9.3
16.3	6.3	9.4
16.4	6.3	9.5
16.5	6.4	9.6
16.6	6.5	9.7
16.7	6.5	9.8
16.8	6.6	9.9
16.9	6.7	10
17	6.7	10.1
17.1	6.8	10.2
17.2	6.9	10.3
17.3	6.9	10.4
17.4	7	10.5
17.5	7.1	10.6
17.6	7.1	10.7
17.7	7.2	10.8
17.8	7.3	10.9
17.9	7.3	11

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: **CGW138**

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)			
	Zone A	Zone B	Zone C	Zone D
20.9	0	0	0	0
21	0.1	0.1	0.1	0.2
21.1	0.1	0.2	0.3	0.3
21.2	0.2	0.3	0.4	0.5
21.3	0.3	0.4	0.5	0.7
21.4	0.3	0.5	0.7	0.8
21.5	0.4	0.6	0.8	1
21.6	0.5	0.7	0.9	1.2
21.7	0.5	0.8	1.1	1.3
21.8	0.6	0.9	1.2	1.5
21.9	0.7	1	1.3	1.7
22	0.7	1.1	1.5	1.8
22.1	0.8	1.2	1.6	2
22.2	0.9	1.3	1.7	2.2
22.3	0.9	1.4	1.9	2.3
22.4	1	1.5	2	2.4
22.5	1.1	1.6	2.1	2.7
22.6	1.1	1.7	2.3	2.8
22.7	1.2	1.8	2.4	3
22.8	1.3	1.9	2.5	3.2
22.9	1.3	2	2.7	3.3
23	1.4	2.1	2.8	3.5
23.1	1.5	2.2	2.9	3.7
23.2	1.5	2.3	3.1	3.8
23.3	1.6	2.4	3.2	4
23.4	1.7	2.5	3.3	4.2
23.5	1.7	2.6	3.5	4.3
23.6	1.8	2.7	3.6	4.5
23.7	1.9	2.8	3.7	4.7
23.8	1.9	2.9	3.9	4.8
23.9	2	3	4	5
24	2.1	3.1	4.1	5.2
24.1	2.1	3.2	4.3	5.3
24.2	2.2	3.3	4.4	5.5
24.3	2.3	3.4	4.5	5.7
24.4	2.3	3.5	4.7	5.8
24.5	2.4	3.6	4.8	6
24.6	2.5	3.7	4.9	6.2

Index Well: **CGW138**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
24.7	2.5	3.8	5.1	6.3
24.8	2.6	3.9	5.2	6.5
24.9	2.7	4	5.3	6.7
25	2.7	4.1	5.5	6.8
25.1	2.8	4.2	5.6	7
25.2	2.9	4.3	5.7	7.2
25.3	2.9	4.4	5.9	7.3
25.4	3	4.5	6	7.5
25.5	3.1	4.6	6.1	7.7
25.6	3.1	4.7	6.3	7.8
25.7	3.2	4.8	6.4	8
25.8	3.3	4.9	6.5	8.2
25.9	3.3	5	6.7	8.3
26	3.4	5.1	6.8	8.5
26.1	3.5	5.2	6.9	8.7
26.2	3.5	5.3	7.1	8.8
26.3	3.6	5.4	7.2	9
26.4	3.7	5.5	7.3	9.2
26.5	3.7	5.6	7.5	9.3
26.6	3.8	5.7	7.6	9.5
26.7	3.9	5.8	7.7	9.7
26.8	3.9	5.9	7.9	9.8
26.9	4	6	8	10
27	4.1	6.1	8.1	10.2
27.1	4.1	6.2	8.3	10.3
27.2	4.2	6.3	8.4	10.5
27.3	4.3	6.4	8.5	10.7
27.4	4.3	6.5	8.7	10.8
27.5	4.4	6.6	8.8	11
27.6	4.5	6.7	8.9	11.2
27.7	4.5	6.8	9.1	11.3
27.8	4.6	6.9	9.2	11.5
27.9	4.7	7	9.3	11.7
28	4.7	7.1	9.5	11.8
28.1	4.8	7.2	9.6	12
28.2	4.9	7.3	9.7	12.2
28.3	4.9	7.4	9.9	12.3
28.4	5	7.5	10	12.5
28.5	5.1	7.6	10.1	12.7
28.6	5.1	7.7	10.3	12.8
28.7	5.2	7.8	10.4	13
28.8	5.3	7.9	10.5	13.2

Index Well: **CGW138**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
28.9	5.3	8	10.7	13.3
29	5.4	8.1	10.8	13.5
29.1	5.5	8.2	10.9	13.7
29.2	5.5	8.3	11.1	13.8
29.3	5.6	8.4	11.2	14
29.4	5.7	8.5	11.3	14.2
29.5	5.7	8.6	11.5	14.3
29.6	5.8	8.7	11.6	14.5
29.7	5.9	8.8	11.7	14.7
29.8	5.9	8.9	11.9	14.8
29.9	6	9	12	15
30	6.1	9.1	12.1	15.2
30.1	6.1	9.2	12.3	15.3
30.2	6.2	9.3	12.4	15.5
30.3	6.3	9.4	12.5	15.7
30.4	6.3	9.5	12.7	15.8
30.5	6.4	9.6	12.8	16
30.6	6.5	9.7	12.9	16.2
30.7	6.5	9.8	13.1	16.3
30.8	6.6	9.9	13.2	16.5
30.9	6.7	10	13.3	16.7
31	6.7	10.1	13.5	16.8
31.1	6.8	10.2	13.6	17
31.2	6.9	10.3	13.7	17.2
31.3	6.9	10.4	13.9	17.3

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: **MIW29**

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)			
	Zone A	Zone B	Zone C	Zone D
5.7	0	0	0	0
5.8	0.1	0.1	0.1	0.2
5.9	0.1	0.2	0.3	0.3
6	0.2	0.3	0.4	0.5
6.1	0.3	0.4	0.5	0.7
6.2	0.3	0.5	0.7	0.8
6.3	0.4	0.6	0.8	1
6.4	0.5	0.7	0.9	1.2
6.5	0.5	0.8	1.1	1.3
6.6	0.6	0.9	1.2	1.5
6.7	0.7	1	1.3	1.7
6.8	0.7	1.1	1.5	1.8
6.9	0.8	1.2	1.6	2
7	0.9	1.3	1.7	2.2
7.1	0.9	1.4	1.9	2.3
7.2	1	1.5	2	2.4
7.3	1.1	1.6	2.1	2.7
7.4	1.1	1.7	2.3	2.8
7.5	1.2	1.8	2.4	3
7.6	1.3	1.9	2.5	3.2
7.7	1.3	2	2.7	3.3
7.8	1.4	2.1	2.8	3.5
7.9	1.5	2.2	2.9	3.7
8	1.5	2.3	3.1	3.8
8.1	1.6	2.4	3.2	4
8.2	1.7	2.5	3.3	4.2
8.3	1.7	2.6	3.5	4.3
8.4	1.8	2.7	3.6	4.5
8.5	1.9	2.8	3.7	4.7
8.6	1.9	2.9	3.9	4.8
8.7	2	3	4	5
8.8	2.1	3.1	4.1	5.2
8.9	2.1	3.2	4.3	5.3
9	2.2	3.3	4.4	5.5
9.1	2.3	3.4	4.5	5.7
9.2	2.3	3.5	4.7	5.8
9.3	2.4	3.6	4.8	6
9.4	2.5	3.7	4.9	6.2
9.5	2.5	3.8	5.1	6.3

Index Well: **MIW29**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
9.6	2.6	3.9	5.2	6.5
9.7	2.7	4	5.3	6.7
9.8	2.7	4.1	5.5	6.8
9.9	2.8	4.2	5.6	7
10	2.9	4.3	5.7	7.2
10.1	2.9	4.4	5.9	7.3
10.2	3	4.5	6	7.5
10.3	3.1	4.6	6.1	7.7
10.4	3.1	4.7	6.3	7.8
10.5	3.2	4.8	6.4	8
10.6	3.3	4.9	6.5	8.2
10.7	3.3	5	6.7	8.3
10.8	3.4	5.1	6.8	8.5
10.9	3.5	5.2	6.9	8.7
11	3.5	5.3	7.1	8.8
11.1	3.6	5.4	7.2	9
11.2	3.7	5.5	7.3	9.2
11.3	3.7	5.6	7.5	9.3
11.4	3.8	5.7	7.6	9.5
11.5	3.9	5.8	7.7	9.7
11.6	3.9	5.9	7.9	9.8
11.7	4	6	8	10
11.8	4.1	6.1	8.1	10.2
11.9	4.1	6.2	8.3	10.3
12	4.2	6.3	8.4	10.5
12.1	4.3	6.4	8.5	10.7
12.2	4.3	6.5	8.7	10.8
12.3	4.4	6.6	8.8	11
12.4	4.5	6.7	8.9	11.2
12.5	4.5	6.8	9.1	11.3
12.6	4.6	6.9	9.2	11.5
12.7	4.7	7	9.3	11.7
12.8	4.7	7.1	9.5	11.8
12.9	4.8	7.2	9.6	12
13	4.9	7.3	9.7	12.2
13.1	4.9	7.4	9.9	12.3
13.2	5	7.5	10	12.5
13.3	5.1	7.6	10.1	12.7
13.4	5.1	7.7	10.3	12.8
13.5	5.2	7.8	10.4	13
13.6	5.3	7.9	10.5	13.2
13.7	5.3	8	10.7	13.3
13.8	5.4	8.1	10.8	13.5

Index Well: **MIW29**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
13.9	5.5	8.2	10.9	13.7
14	5.5	8.3	11.1	13.8
14.1	5.6	8.4	11.2	14
14.2	5.7	8.5	11.3	14.2
14.3	5.7	8.6	11.5	14.3
14.4	5.8	8.7	11.6	14.5
14.5	5.9	8.8	11.7	14.7
14.6	5.9	8.9	11.9	14.8
14.7	6	9	12	15
14.8	6.1	9.1	12.1	15.2
14.9	6.1	9.2	12.3	15.3
15	6.2	9.3	12.4	15.5
15.1	6.3	9.4	12.5	15.7

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: **SDW252**

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)			
	Zone A	Zone B	Zone C	Zone D
45.9	0	0	0	0
46	0.1	0.2	0.2	0.3
46.1	0.2	0.3	0.4	0.5
46.2	0.3	0.5	0.6	0.8
46.3	0.4	0.6	0.8	1
46.4	0.5	0.8	1	1.3
46.5	0.6	0.9	1.2	1.5
46.6	0.7	1.1	1.4	1.8
46.7	0.8	1.2	1.6	2
46.8	0.9	1.4	1.8	2.3
46.9	1	1.5	2	2.5
47	1.1	1.7	2.2	2.8
47.1	1.2	1.8	2.4	3
47.2	1.3	2	2.6	3.3
47.3	1.4	2.1	2.8	3.5
47.4	1.5	2.3	3	3.8
47.5	1.6	2.4	3.2	4
47.6	1.7	2.6	3.4	4.3
47.7	1.8	2.7	3.6	4.5
47.8	1.9	2.9	3.8	4.8
47.9	2	3	4	5
48	2.1	3.2	4.2	5.3
48.1	2.2	3.3	4.4	5.5
48.2	2.3	3.5	4.6	5.8
48.3	2.4	3.6	4.8	6
48.4	2.5	3.8	5	6.3
48.5	2.6	3.9	5.2	6.5
48.6	2.7	4.1	5.4	6.8
48.7	2.8	4.2	5.6	7
48.8	2.9	4.4	5.8	7.3
48.9	3	4.5	6	7.5
49	3.1	4.7	6.2	7.8
49.1	3.2	4.8	6.4	8
49.2	3.3	5	6.6	8.3
49.3	3.4	5.1	6.8	8.5
49.4	3.5	5.3	7	8.8
49.5	3.6	5.4	7.2	9
49.6	3.7	5.6	7.4	9.3
49.7	3.8	5.7	7.6	9.5

Index Well: **SDW252**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C	Zone D
49.8	3.9	5.9	7.8	9.8
49.9	4	6	8	10
50	4.1	6.2	8.2	10.3
50.1	4.2	6.3	8.4	10.5
50.2	4.3	6.5	8.6	10.8
50.3	4.4	6.6	8.8	11
50.4	4.5	6.8	9	11.3
50.5	4.6	6.9	9.2	11.5
50.6	4.7	7.1	9.4	11.8
50.7	4.8	7.2	9.6	12
50.8	4.9	7.4	9.8	12.3
50.9	5	7.5	10	12.5
51	5.1	7.7	10.2	12.8
51.1	5.2	7.8	10.4	13
51.2	5.3	8	10.6	13.3
51.3	5.4	8.1	10.8	13.5
51.4	5.5	8.3	11	13.8
51.5	5.6	8.4	11.2	14
51.6	5.7	8.6	11.4	14.3
51.7	5.8	8.7	11.6	14.5
51.8	5.9	8.9	11.8	14.8
51.9	6	9	12	15
52	6.1	9.2	12.2	15.3
52.1	6.2	9.3	12.4	15.5
52.2	6.3	9.5	12.6	15.8
52.3	6.4	9.6	12.8	16
52.4	6.5	9.8	13	16.3
52.5	6.6	9.9	13.2	16.5
52.6	6.7	10.1	13.4	16.8
52.7	6.8	10.2	13.6	17
52.8	6.9	10.4	13.8	17.3
52.9	7	10.5	14	17.5
53	7.1	10.7	14.2	17.8
53.1	7.2	10.8	14.4	18
53.2	7.3	11	14.6	18.3

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: **SDW253**

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)		
	Zone A	Zone B	Zone C
45.8	0	0	0
45.9	0.1	0.1	0.1
46	0.1	0.2	0.3
46.1	0.2	0.3	0.4
46.2	0.3	0.4	0.5
46.3	0.3	0.5	0.7
46.4	0.4	0.6	0.8
46.5	0.5	0.7	0.9
46.6	0.5	0.8	1.1
46.7	0.6	0.9	1.2
46.8	0.7	1	1.3
46.9	0.7	1.1	1.5
47	0.8	1.2	1.6
47.1	0.9	1.3	1.7
47.2	0.9	1.4	1.9
47.3	1	1.5	2
47.4	1.1	1.6	2.1
47.5	1.1	1.7	2.3
47.6	1.2	1.8	2.4
47.7	1.3	1.9	2.5
47.8	1.3	2	2.7
47.9	1.4	2.1	2.8
48	1.5	2.2	2.9
48.1	1.5	2.3	3.1
48.2	1.6	2.4	3.2
48.3	1.7	2.5	3.3
48.4	1.7	2.6	3.5
48.5	1.8	2.7	3.6
48.6	1.9	2.8	3.7
48.7	1.9	2.9	3.9
48.8	2	3	4
48.9	2.1	3.1	4.1
49	2.1	3.2	4.3
49.1	2.2	3.3	4.4
49.2	2.3	3.4	4.5
49.3	2.3	3.5	4.7
49.4	2.4	3.6	4.8
49.5	2.5	3.7	4.9

Index Well: **SDW253**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
49.6	2.5	3.8	5.1
49.7	2.6	3.9	5.2
49.8	2.7	4	5.3
49.9	2.7	4.1	5.5
50	2.8	4.2	5.6
50.1	2.9	4.3	5.7
50.2	2.9	4.4	5.9
50.3	3	4.5	6
50.4	3.1	4.6	6.1
50.5	3.1	4.7	6.3
50.6	3.2	4.8	6.4
50.7	3.3	4.9	6.5
50.8	3.3	5	6.7
50.9	3.4	5.1	6.8
51	3.5	5.2	6.9
51.1	3.5	5.3	7.1
51.2	3.6	5.4	7.2
51.3	3.7	5.5	7.3
51.4	3.7	5.6	7.5
51.5	3.8	5.7	7.6
51.6	3.9	5.8	7.7
51.7	3.9	5.9	7.9
51.8	4	6	8
51.9	4.1	6.1	8.1
52	4.1	6.2	8.3
52.1	4.2	6.3	8.4
52.2	4.3	6.4	8.5
52.3	4.3	6.5	8.7
52.4	4.4	6.6	8.8
52.5	4.5	6.7	8.9
52.6	4.5	6.8	9.1
52.7	4.6	6.9	9.2
52.8	4.7	7	9.3
52.9	4.7	7.1	9.5
53	4.8	7.2	9.6
53.1	4.9	7.3	9.7
53.2	4.9	7.4	9.9
53.3	5	7.5	10
53.4	5.1	7.6	10.1
53.5	5.1	7.7	10.3
53.6	5.2	7.8	10.4
53.7	5.3	7.9	10.5

Index Well: **SDW253**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
53.8	5.3	8	10.7
53.9	5.4	8.1	10.8
54	5.5	8.2	10.9
54.1	5.5	8.3	11.1
54.2	5.6	8.4	11.2
54.3	5.7	8.5	11.3
54.4	5.7	8.6	11.5
54.5	5.8	8.7	11.6
54.6	5.9	8.8	11.7
54.7	5.9	8.9	11.9
54.8	6	9	12
54.9	6.1	9.1	12.1
55	6.1	9.2	12.3
55.1	6.2	9.3	12.4
55.2	6.3	9.4	12.5
55.3	6.3	9.5	12.7
55.4	6.4	9.6	12.8
55.5	6.5	9.7	12.9
55.6	6.5	9.8	13.1
55.7	6.6	9.9	13.2
55.8	6.7	10	13.3
55.9	6.7	10.1	13.5
56	6.8	10.2	13.6
56.1	6.9	10.3	13.7
56.2	6.9	10.4	13.9
56.3	7	10.5	14
56.4	7.1	10.6	14.1
56.5	7.1	10.7	14.3
56.6	7.2	10.8	14.4
56.7	7.3	10.9	14.5
56.8	7.3	11	14.7
56.9	7.4	11.1	14.8
57	7.5	11.2	14.9
57.1	7.5	11.3	15.1
57.2	7.6	11.4	15.2
57.3	7.7	11.5	15.3
57.4	7.7	11.6	15.5
57.5	7.8	11.7	15.6
57.6	7.9	11.8	15.7
57.7	7.9	11.9	15.9
57.8	8	12	16
57.9	8.1	12.1	16.1

Index Well: **SDW253**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
58	8.1	12.2	16.3
58.1	8.2	12.3	16.4
58.2	8.3	12.4	16.5
58.3	8.3	12.5	16.7
58.4	8.4	12.6	16.8
58.5	8.5	12.7	16.9
58.6	8.5	12.8	17.1
58.7	8.6	12.9	17.2
58.8	8.7	13	17.3
58.9	8.7	13.1	17.5
59	8.8	13.2	17.6
59.1	8.9	13.3	17.7
59.2	8.9	13.4	17.9
59.3	9	13.5	18
59.4	9.1	13.6	18.1
59.5	9.1	13.7	18.3
59.6	9.2	13.8	18.4
59.7	9.3	13.9	18.5

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: **TSW89**

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)		
	Zone A	Zone B	Zone C
10.2	0	0	0
10.3	0.1	0.2	0.2
10.4	0.2	0.3	0.4
10.5	0.3	0.5	0.6
10.6	0.4	0.6	0.8
10.7	0.5	0.8	1
10.8	0.6	0.9	1.2
10.9	0.7	1.1	1.4
11	0.8	1.2	1.6
11.1	0.9	1.4	1.8
11.2	1	1.5	2
11.3	1.1	1.7	2.2
11.4	1.2	1.8	2.4
11.5	1.3	2	2.6
11.6	1.4	2.1	2.8
11.7	1.5	2.3	3
11.8	1.6	2.4	3.2
11.9	1.7	2.6	3.4
12	1.8	2.7	3.6
12.1	1.9	2.9	3.8
12.2	2	3	4
12.3	2.1	3.2	4.2
12.4	2.2	3.3	4.4
12.5	2.3	3.5	4.6
12.6	2.4	3.6	4.8
12.7	2.5	3.8	5
12.8	2.6	3.9	5.2
12.9	2.7	4.1	5.4
13	2.8	4.2	5.6
13.1	2.9	4.4	5.8
13.2	3	4.5	6
13.3	3.1	4.7	6.2
13.4	3.2	4.8	6.4
13.5	3.3	5	6.6
13.6	3.4	5.1	6.8
13.7	3.5	5.3	7
13.8	3.6	5.4	7.2
13.9	3.7	5.6	7.4
14	3.8	5.7	7.6

Index Well: TSW89

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
14.1	3.9	5.9	7.8
14.2	4	6	8
14.3	4.1	6.2	8.2
14.4	4.2	6.3	8.4
14.5	4.3	6.5	8.6
14.6	4.4	6.6	8.8
14.7	4.5	6.8	9
14.8	4.6	6.9	9.2
14.9	4.7	7.1	9.4
15	4.8	7.2	9.6
15.1	4.9	7.4	9.8
15.2	5	7.5	10
15.3	5.1	7.7	10.2
15.4	5.2	7.8	10.4
15.5	5.3	8	10.6
15.6	5.4	8.1	10.8
15.7	5.5	8.3	11
15.8	5.6	8.4	11.2
15.9	5.7	8.6	11.4
16	5.8	8.7	11.6
16.1	5.9	8.9	11.8
16.2	6	9	12
16.3	6.1	9.2	12.2
16.4	6.2	9.3	12.4
16.5	6.3	9.5	12.6
16.6	6.4	9.6	12.8
16.7	6.5	9.8	13
16.8	6.6	9.9	13.2
16.9	6.7	10.1	13.4
17	6.8	10.2	13.6
17.1	6.9	10.4	13.8
17.2	7	10.5	14
17.3	7.1	10.7	14.2
17.4	7.2	10.8	14.4
17.5	7.3	11	14.6
17.6	7.4	11.1	14.8
17.7	7.5	11.3	15
17.8	7.6	11.4	15.2
17.9	7.7	11.6	15.4
18	7.8	11.7	15.6
18.1	7.9	11.9	15.8

Potential Water-Level Rise (feet) for Index Well- Reference Table

Following Technical Bulletin 92-001, estimations of high groundwater levels are needed for construction and land use planning on Cape Cod. Using the appropriate index well and water-level range zone, water-level adjustment is provided, defined as Step 4 in the High Ground Water-Level Computation Form.

Index Well: **WNW17**

Index Well Depth to Water (feet below land surface)	Water-Level Range Zone Adjustments (ft)		
	Zone A	Zone B	Zone C
7.3	0	0	0
7.4	0.1	0.1	0.1
7.5	0.1	0.1	0.2
7.6	0.2	0.2	0.3
7.7	0.2	0.3	0.4
7.8	0.3	0.3	0.5
7.9	0.3	0.4	0.6
8	0.4	0.5	0.7
8.1	0.4	0.5	0.8
8.2	0.5	0.6	0.9
8.3	0.5	0.7	1
8.4	0.6	0.7	1.1
8.5	0.6	0.8	1.2
8.6	0.7	0.9	1.3
8.7	0.7	0.9	1.4
8.8	0.8	1	1.5
8.9	0.8	1.1	1.6
9	0.9	1.1	1.7
9.1	0.9	1.2	1.8
9.2	1	1.3	1.9
9.3	1	1.3	2
9.4	1.1	1.4	2.1
9.5	1.1	1.5	2.2
9.6	1.2	1.5	2.3
9.7	1.2	1.6	2.4
9.8	1.3	1.7	2.5
9.9	1.3	1.7	2.6
10	1.4	1.8	2.7
10.1	1.4	1.9	2.8
10.2	1.5	1.9	2.9
10.3	1.5	2	3
10.4	1.6	2.1	3.1
10.5	1.6	2.1	3.2
10.6	1.7	2.2	3.3
10.7	1.7	2.3	3.4
10.8	1.8	2.3	3.5
10.9	1.8	2.4	3.6
11	1.9	2.5	3.7
11.1	1.9	2.5	3.8

Index Well: **WNW17**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
11.2	2	2.6	3.9
11.3	2	2.7	4
11.4	2.1	2.7	4.1
11.5	2.1	2.8	4.2
11.6	2.2	2.9	4.3
11.7	2.2	2.9	4.4
11.8	2.3	3	4.5
11.9	2.3	3.1	4.6
12	2.4	3.1	4.7
12.1	2.4	3.2	4.8
12.2	2.5	3.3	4.9
12.3	2.5	3.3	5
12.4	2.6	3.4	5.1
12.5	2.6	3.5	5.2
12.6	2.7	3.5	5.3
12.7	2.7	3.6	5.4
12.8	2.8	3.7	5.5
12.9	2.8	3.7	5.6
13	2.9	3.8	5.7
13.1	2.9	3.9	5.8
13.2	3	3.9	5.9
13.3	3	4	6
13.4	3.1	4.1	6.1
13.5	3.1	4.1	6.2
13.6	3.2	4.2	6.3
13.7	3.2	4.3	6.4
13.8	3.3	4.3	6.5
13.9	3.3	4.4	6.6
14	3.4	4.5	6.7
14.1	3.4	4.5	6.8
14.2	3.5	4.6	6.9
14.3	3.5	4.7	7
14.4	3.6	4.7	7.1
14.5	3.6	4.8	7.2
14.6	3.7	4.9	7.3
14.7	3.7	4.9	7.4
14.8	3.8	5	7.5
14.9	3.8	5.1	7.6
15	3.9	5.1	7.7
15.1	3.9	5.2	7.8
15.2	4	5.3	7.9
15.3	4	5.3	8
15.4	4.1	5.4	8.1

Index Well: **WNW17**

Index Well Depth to Water (feet below land surface)	Zone A	Zone B	Zone C
15.5	4.1	5.5	8.2
15.6	4.2	5.5	8.3
15.7	4.2	5.6	8.4
15.8	4.3	5.7	8.5
15.9	4.3	5.7	8.6
16	4.4	5.8	8.7
16.1	4.4	5.9	8.8
16.2	4.5	5.9	8.9
16.3	4.5	6	9
16.4	4.6	6.1	9.1
16.5	4.6	6.1	9.2
16.6	4.7	6.2	9.3
16.7	4.7	6.3	9.4
16.8	4.8	6.3	9.5
16.9	4.8	6.4	9.6
17	4.9	6.5	9.7
17.1	4.9	6.5	9.8
17.2	5	6.6	9.9
17.3	5	6.7	10
17.4	5.1	6.7	10.1
17.5	5.1	6.8	10.2
17.6	5.2	6.9	10.3
17.7	5.2	6.9	10.4