



#### **EXISTING CONDITIONS**





#### **EXISTING CONDITIONS**






#### **EXISTING CONDITIONS**








WELLFLEET

**ALTERNATIVE 1: GRAY** 


2830 linear feet of
Town-owned road are
elevated from a lowest point
of 7.6 feet to a lowest point
of 10.3 feet. Parapet wall and
dune replenishment are used
to control erosion at the
western end of the road
segment. Connection to the
alternative chosen for
Commercial Street must be
considered.






## ALTERNATIVE 1: GRAY Kendrick Avenue, Wellfleet






# ALTERNATIVE 1: GRAY Kendrick Avenue, Wellfleet






## ALTERNATIVE 1: GRAY








**ALTERNATIVE 2: HYBRID** 


Targeted dune restorations and parapet walls bring the dune's elevation to 10.1ft. At the western curve of the road, a parapet wall prevents erosion. Connection to the alternative chosen for Commercial Street must be considered.






### ALTERNATIVE 2: HYBRID






### ALTERNATIVE 2: HYBRID






### ALTERNATIVE 2: HYBRID








**ALTERNATIVE 3: GREEN** 


Private easements or buyouts allow the entire dune along Mayo Beach to be restored to 11.5ft. Some sections are already higher and would not require much work. Connection to the alternative chosen for Commercial Street must be considered.






## ALTERNATIVE 3: GREEN Kendrick Avenue, Wellfleet





## ALTERNATIVE 3: GREEN Kendrick Avenue, Wellfleet





### **ALTERNATIVE 3: GREEN**



## KENDRICK AVENUE, WELLFLEET

Summary of alternatives

			Critical Annual Exceedance Probability			Vulnerable to	Impacts to	Impacts to	Estimated	
	Segment	Description	Elevation	2030	2050	2070	Tidal Flooding	Wetlands	Private Property	Cost*
EXISTING	EAST	A segment of 23ft wide road.	7.6 feet	100%	100%	100%	2070	N/A	N/A	N/A
	WEST	A segment of 23ft wide road.	8.0 feet	100%	100%	100%	2070			
ALTERNATIVE 1: GRAY	EAST	7.6 feet to 10.3 feet. Parapet wall and dune restoration are used to control erosion at the western corner. Connection to	10.3 feet	5%	100%	100%	N/A	N/A	Yes	\$991,000
	WEST		10.3 feet	5%	100%	100%	N/A	Possible Negative	Yes	\$1,029,000
ALTERNATIVE 2: HYBRID	EAST	Targeted dune restorations bring the dune's lowest elevation to 10.1ft. At the western curve of the road, a parapet wall prevents road erosion. Connection to work on Commercial Street must be considered.	10.1 feet	5%	100%	100%	N/A	Possible Positive	Yes	\$101,000
	WEST		10.1 feet	5%	100%	100%	N/A	Possible Positive	Yes	\$137,000
ALTERNATIVE 3: GREEN	EAST	Easements allow the dune along Mayo Beach to be restored to 11.5ft. Walkovers prevent further erosion.	11.5 feet	1%	10%	100%	N/A	Possible Positive	Yes	\$388,000 + cost of buyouts or easements
	WEST	Buyouts or easements allow the dune along Mayo Beach to be restored to 11.5ft. Walkovers prevent erosion.	11.5 feet	1%	10%	100%	N/A	Possible Positive	Yes	\$388,000 + cost of buyouts or easements

<sup>\*</sup>Installed material cost +20% contingency. Excludes design, permitting, mobilization, stormwater and wastewater infrastructure, and site controls. Costs based on RSMeans 2021 cost book and adjusted for inflation and region.